

SAFETY INFORMATION

FUROGEN INJECTION VACCINE



W-06-0

MANUFACTURER	Aqua Health Ltd, 37 McCarville St., West Royalty Industrial Park, Prince Edward Island, Canada, C1E 2A7.
RECOMMENDED USE	Prophylaxis
PACKAGING	1000 mL, 500 mL and 5 mL bottles with metal closures and rubber stoppers
METHOD OF USE	Injection
APPROVAL	Can Vet Biol Est Lic No. 28 Product Lic. # 870BA/A5.1/A8 USDA Vet. Permit no. 335 Product Code: 2035.01
HAZARDOUS INGREDIENTS	Bacterial endotoxin; formalin; aluminum adjuvant
RISKS	Low risk from ingestion or eye contact; moderate risk from injection
SAFETY PRECAUTIONS	<p>Avoid ingestion or eye contact. IF VACCINE IS ACCIDENTALLY INJECTED, TAKE PRECAUTIONS AGAINST LOCALISED SEPSIS AND REPORT THE INCIDENT IMMEDIATELY TO THE SAFETY OFFICER. IF SWELLING OR REDNESS IS NOT LOCALISED TO THE AREA OF INJECTION, SEEK MEDICAL ATTENTION WITHOUT DELAY.</p> <p>Note: In rare cases, anaphylaxis (shock) may occur in individuals hyper-sensitive to gram-negative bacteria following accidental injection of product. Prior to use of the product, operators should seek medical advice relating to the recognition and immediate treatment in the case of anaphylaxis. Epinephrine or an equivalent drug should be available for immediate use following these instances.</p>
STORAGE	Store at 2-7°C (35-45°F); DO NOT FREEZE.
ACTION IN CASE OF SPILLAGE	Mop and wash the area of the spill.
FLAMMABILITY	Not Flammable
TRANSPORT REGULATIONS	Avoid exposure of the goods to temperatures in excess of 30°C (86°F).

DISPOSAL	Use the entire contents of bottle when opened. Any surplus bacterin by dilution with a copious amount of water or according to local waste disposal regulations.
HARMFUL EFFECTS FIRST AID	EYES: Irritant/irrigate thoroughly with water. INJECTION: Mild to moderate reaction to bacterial endotoxin or the adjuvant, if unusual swelling or redness occurs / SEEK MEDICAL ATTENTION IMMEDIATELY. INHALATION: None Known. SKIN: None known/wash affected area.
ADDITIONAL INFORMATION	Vaccine is a formalin inactivated, whole-cell bacterin containing no live organisms.
FOR FURTHER INFORMATION CONTACT	Aqua Health Ltd. West Royalty Ind. Park Charlottetown, P.E.I. Tel: (902)566-4966 Fax: (902)566-3573