



Now including trusted brands from Novartis Animal Health, including **Vira Shield<sup>®</sup>**, **Arsenal<sup>®</sup>** and **Clostri Shield<sup>®</sup>**.

# Veterinarian Certified Calf Preconditioning Program Enrollment Form

Select the options you need to add the value you want for the marketplace you're in with **MERIAL<sup>®</sup> SUREHEALTH<sup>®</sup>** Veterinarian Certification.



Partnering with









## Certified Calf Preconditioning Program

MERIAL® SUREHEALTH® Calf Preconditioning Certification indicates that calves have been weaned for 45 days, received a proven protocol of health care and are ready to perform. This certification can enhance the value of calves by identifying their health status with a veterinarian's signature. Leading brands from Merial and Novartis qualify for the proven preconditioning protocols in the SUREHEALTH Program. **Follow the steps below for certification.**

Program Requirements <sup>1</sup>	MERIAL SUREHEALTH
1. Treatment for internal and external parasites (endectocide) from MERIAL IVOMEC® Plus (ivermectin/clorsulon)      IVOMEC® 1% Injection for Cattle & Swine IVOMEC® (ivermectin) Pour-On              IVOMEC® EPRINEX® (eprinomectin)	✓ <sup>2</sup>
2. Vaccination against respiratory viral infections (IBR, PI <sub>3</sub> , BVD Type 1, BVD Type 2, BRSV) (2 doses) Vira Shield® 6                                      Vira Shield® 6+Somnus      Vira Shield® 6+L5 HB Vira Shield® 6+L5 HB Somnus      Arsenal® 4.1                                      Other respiratory vaccines	✓
3. Vaccination against respiratory bacterial infections ( <i>Mannheimia haemolytica</i> , <i>Pasteurella multocida</i> ) (1 dose) RESPISHIELD® HM from MERIAL	✓
4. Vaccination against clostridial infections (2 doses) and optional vaccination against <i>Haemophilus somnus</i> (2 doses) Clostri Shield® 7                                      Other clostridial vaccines	✓
5. Castrated and dehorned, or tipped	✓
6. Weaned (45-day minimum)	✓
7. Adjusted to feedbunk	✓
8. Adjusted to water tank	✓
9. Source & Age Verification	optional
10. 21-day coccidiosis prevention program CORID® (amprolium) 9.6% Solution CORID® 1.25% Type C Medicated Feed <sup>3</sup>	optional
11. Vaccination against mycoplasma, pinkeye, footrot	optional
12. Veterinarian certified	✓

For more information regarding MERIAL SUREHEALTH qualifying products and protocols, visit [www.surehealth.com](http://www.surehealth.com), [www.livestock.novartis.com](http://www.livestock.novartis.com) or contact your Novartis territory manager or local veterinarian. For more information on Source & Age verification, contact IMI Global at (866) 515-5797 or visit [www.imiglobal.com](http://www.imiglobal.com).

<sup>1</sup>All products must be used according to label instructions.

<sup>2</sup>Check with your veterinarian to see if a second treatment is needed. It is not mandatory for MERIAL SUREHEALTH Certification.

<sup>3</sup>Manufacture of Type B or C medicated feeds from a Category II, Type A Medicated Feed requires a Medicated Feed License approved by the FDA. A list of participating feed companies is available upon request.

### IVOMEC® PLUS (IVERMECTIN/CLORSULON)

Do not treat cattle within 49 days of slaughter. Do not use in dairy cattle of breeding age or in veal calves. IVOMEC (ivermectin) Pour-On: Do not treat cattle within 48 days of slaughter. Do not use in dairy cattle of breeding age or in veal calves. IVOMEC 1% Injection for Cattle and Swine: Do not treat cattle within 35 days of slaughter. Do not use in dairy cattle of breeding age or in veal calves. Do not treat swine within 18 days of slaughter. IVOMEC EPRINEX (eprinomectin) Pour-On for Beef and Dairy: No meat or milk withdrawal is required when used according to label. All IVOMEC Brand Products: Do not use in other animal species not on the label as severe, adverse reactions, including fatalities in dogs, may result.

### CORID®

Withdraw 24 hours before slaughter. Do not use in calves to be processed for veal.



(800) 843-3386

[www.livestock.novartis.com](http://www.livestock.novartis.com)

4500008533, JUN08  
Printed in the USA.

© 2008 Novartis Animal Health US, Inc.

Arsenal, Clostri Shield, Fusogard, Pinkeye Shield, QuickShield and Vira Shield are registered trademarks of Novartis AG. CORID, EPRINEX, IVOMEC, MERIAL, RESPISHIELD, SUREHEALTH, the SUREHEALTH LOGO and the CATTLE HEAD LOGO are registered trademarks of Merial, Ltd.

(Detach program form along perforation and return pages 2 and 3.)